Anchor Supply Co.

INCORPORATED

Awnings Tents, Covers &c.

EVANSVILLE - IND.

OUR LATEST AND BEST.

Up-to-Date in Every Respect.
Cannot be Excelled.

Cantwear

ROLLER AWNING

Patented Nov. 10, 1903

MADE ONLY BY

Anchor Supply Co. Evansville, Indiana.

ANCHOR SUPPLY CO.

PETER EMRICH, Pres.
LOUIS A. DAUS, Vice-Pres.
J. WILL GLEICHMAN, Sec'y & Treas

(INCORPORATED)

OFFICE AND FACTORY
Nos. 122, 124 126 and 128
UPPER WATER STREET

Makers of Awnings, Tents, Covers, Etc.

"Anchor"

Jail Hammocks
Cemetery Tents
Patent Cog Gear Roller Awnings
Roller Curtains

Jobbers of COTTON DUCK AND AWNING STRIPES

EVANSVILLE, IND., U. S. A.

CATALOGUE AND PRICE LIST

of AWNINGS, TENTS, COVERS and other Goods manufactured by the ANCHOR SUPPLY CO.



OUR FACTORY

IN this Catalogue we aim to give explicit directions to our agents, Hardware and Furniture Dealers, Plumbers and all other parties who are now handling or contemplate handling our line of goods.

Our facilities for turning out First-class Work promptly at uniformly Low Prices cannot be excelled.

Prices quoted are subject to a discount.

We will always be pleased to quote Net Prices upon application.

ANCHOR SUPPLY CO.





Measure from 1 to 2, 3 to 4.



Measure from 1 to 1, 3 to 4, 4 to 5.



Measure from 1 to 2, 3 to 4, 4 to 5.

ALL STYLES OF

WINDOW AND DOOR AWNINGS

for OFFICES, RESIDENCES, HOTELS, Etc.

Directions for Measuring:

All Awnings are made so that bottom of scalloped curtain comes to within ***16 inches of sill,*** unless otherwise ordered, or in case of very high windows we expect you to state ***how far from sill*** awning is to come.

In measuring for window and door awnings, always measure from ***center*** to ***center*** of ***wood casing,*** not on brick work, and in all cases give ***name of shape of top of window,*** as per our diagram. Always state if awnings are for ***first story*** or ***upper stories*** of building. If for first story give ***height from sill of window or door to ground,*** and state if you want awning ***high enough*** so that you can walk under it.

When ***screens*** are to be used on ***doors,*** the awnings should be measured same as store awnings, from 1 to 2, 2 to 3, 3 to 4. Send for measuring blanks and samples of fancy stripes.

Lowest Prices Quoted on Application.



STORE AWNINGS



Directions for Measuring Store Awnings

First determine the place where the joints of the frame will be fastened to the building, which should be from 7 to 8 feet from the sidewalk, according to the height of the front (see figure 2 in diagram.) You will observe that the curtain —15 inches deep—drops below that point, for which you will have to allow in clearing peoples' heads. Then measure from there to where top of awning can be fastened above the window (see figure 1 in diagram), which will be the distance from 1 to 2, or height of awning, 2 to 3, in a high building, should be the same as 1 and 2, but in a low one a little more. Then measure the width of store from center of column on one side to the same on the other side, which will be the distance from 3 to 4, or width of awning. If the top where the awning is to be attached projects beyond the face of the building or is back of the level, mention how much. When ordering a frame, state whether it is to be fixed in stone, brick, iron or wood, and whether door posts and face of building or outer columns are in line; also whether the frame requires four or more joints and bars.

WRITE FOR PRICES AND SAMPLES OF MATERIAL

STORE AWNINGS



Directions for Putting Up.

First ascertain the height of the Awning, that is from 1 to 2; measure that distance down the house from figure 1 in diagram, which is the place for the joints (see cut No. 2). If the columns are iron, they will have to be bored and tapped and the ends of the joints threaded to screw in; if stone or brick, make holes 3 inches deep, and cement firmly, if wood, fasten on with screws. Be careful to have the joints in line, and if any of the columns stand back, put the long joints on them; now fasten the bars to the joints with the joint screws, and pass the front rod through the middle ones and put on both end bars and screw on the nuts. Put up the pulleys as shown in diagram, the middle one directly over the middle bars, the outside ones about twelve inches inwards from the line of the outer columns, and all of them just below where the top of Awning will be fastened. Pass the ropes through the pulleys, as shown in diagram, one through each centre pulley, and attach to front rod by taking a hitch round the bars and rod at the same time, the outside ropes first through the center, then through the outside pulley, and fasten to the front rod, 12 inches from the end. Now take the Awning, and while the frame is in the same position as shown in the diagram, take off the outside nuts, put the ends of the front rod through the large holes in the corners of the Awning and replace the nuts outside the Awning; tie to front rod with a tarred string, then raise it up and fix the top to the front at the proper height from the joints; let it down again and tie the sides to the joints with the tarred string by passing them through the eyelet in the Awning at the side just above the scallop, and it is finished.

Lettering and Signs on Awnings

Have your Awnings Lettered
It will advertise your business



WE MAKE A SPECIALTY OF DOING

Fine Lettering on Awnings,
Signs, Banners, etc., etc.

None but the very best Workmen employed in this department, which insures good work at the lowest rates.

Roller Awnings

For Stationary Frames



These Awnings are used where parties desire to cover entire walk, and can also be used over wood frames. Measure width of building. Distance from where awning fastens at top to where bottom of awning is to be when down. State if you have roller. If so, what is the diameter?

THE ANCHOR PATENT COG GEAR ROLLER AWNING

With Anti-Friction Center Support

Adapted for Wide or Narrow Store Fronts.

The above awning is 76 feet wide, and works perfectly and easily



FIG. 1

This cut shows Awning with ends folded under to roll up with Awning.



FIG. 2

This cut shows Awning with ends separate. As the Awning rolls up, ends fold up as in an ordinary store Awning.

"ANCHOR" PATENT COG GEAR ROLLER AWNING FIXTURES



This cut shows all the different Fixtures as used in the "Anchor" Patent Cog Gear Roller Awning, with Anti-Friction Center Support, which does not cut the cloth.

The Anchor Patent Cog Gear Roller Awning

With Anti-Friction Center Support

Is based upon scientific principles in its every detail, being the result of our aim to produce an awning combining all the latest improvements, up-to-date in every respect.

Our system is Cog Gear with solid steel shaft, doing away with the objectionable chain which will break, stretch or rust, and is so constructed that anyone following directions can put it up without any trouble. Full directions for putting up sent with every awning.

Our Top Cog Gear and Self-Locking Gear Box are so constructed that they can be used at either end of roller.

Our Patent Anti-Friction Center Support is the result of years of observation, and today is the ONLY Center Support in use that positively does not CUT THE CLOTH. As a rule a roller awning that has been up a few months is cut out where it rolls over the center support. Our Center Support is so constructed that the axles and rollers are all pivoted on an adjustable bracket, and should the material crimp or wrinkle in rolling or unrolling, our Center Support adjusts itself to the extra thickness of cloth and does not cut it. The large rollers used in our Center Supports allow the long rollers to work easily and as rollers are not cased in, dirt cannot accumulate to clog up the working parts.

Our Self-Locking Gear or Operating Box is always locked. This enables you to set the awning at at any angle without any danger of it dropping. The locking device is not exposed and parties not familiar with its construction cannot tamper with the awning. To operate our awning the CRANK must be used. YOU CANNOT OPERATE IT WITH A WRENCH. No lock and chain needed. A small lever locks the gear when crank is removed from gear box.

In connection with the above improvements we have our UNIVERSAL JOINT. Nearly all other gears are so constructed as to require an expert to put them up, and even then as a rule are not true and in line, making the awnings hard to roll. This point we overcome with our Universal Joint. If the shaft from the top gear to the operating box should be out of line, by the use of our Universal Joint the Anchor Patent Cog Gear Roller Awning will always roll perfectly free and easy.

Chief among the numerous advantages the Anchor Patent Cog Gear Roller Awning has over all others are, namely:

It rolls up closer to the building, doing away with the baggy appearance and is not liable to be torn to pieces by heavy windstorms.

It does not interfere with the light when rolled up.

It can be set at any angle desired.

It has no ropes to wear the cloth, no chain to break, stretch or rust.

The cloth rolls up smoother than by any other system.

It is always locked and can only be raised or lowered by the use of the crank.

Being absolutely ANTI-FRICTION the cloth will last three to four times longer than other makes.

Whether in line or out of line from the top gear to the operating box we can roll a 100 foot as easily as a 10 foot roller.

With the combined improvements in the ANCHOR PATENT COG GEAR ROLLER AWNING, we can roll twice as fast with one-half the exertion as any other awning.

It can be made with end curtains attached to fold under when the awning is rolled up or with independent end curtains folding up as in an ordinary awning.

The fixtures of the Anchor Patent Cog Gear Roller Awning are all made of malleable iron. They are strong, light and durable. When once put on a building they will last a life-time, and are neater in appearance than any now used. The Anchor Cog Gear Roller Awning will be an ornament to your store front and is SUPERIOR to all other roller awnings.

Introduced but a short time ago, it is now used throughout the entire United States and several FOREIGN COUNTRIES and giving universal satisfaction.

Do not confound our Cog Gear with some of the cheap imitations now on the market.

Use the Patent Cog Gear Roller Awning and Your Awning Troubles are Over.



Directions for Measuring for a COG GEAR AWNING

First determine the place where joints of frame will fasten to the building, which should be from 7 to 8 feet from sidewalk, according to height of front. The curtain, 12 inches deep, drops below that point, for which you will have to allow, for the bottom of curtain should be at least 6 feet 3 inches from sidewalk. Then measure from where frame fastens to the point where awning will fasten above. This gives the distance from 1 to 2. The distance over sidewalk, or from 2 to 3, must be the same as from 1 to 2. Then give extreme width that awning is to cover. This will be length of top roller. But the awning and front rod is always nine inches shorter, on account of end journals and working gear of awning, which take up nine inches.

State whether frame requires 4 or more joints and bars, also if in line and whether they fasten into iron, stone, brick or wood.

State if top fastens to brick, iron, stone or wood, also if in line with upright columns. If back, how much. If projects, how much.

State if end curtains are wanted. If only one, which side. (Standing and facing building).

State if ends are to be attached to awning as per (Fig. 1, showing ends) or separate as per (Fig. 2, page 7).

NOTICE—Always state definitely if measure from 3 to 4 is as per diagram, or if it is full length of roller. The operating roller is always 9 inches longer than the awning.

Price List of Anchor Patent Cog Gear Roller Awning, with Anti-Friction Center Support.

Height and Projection	WIDTH OF STORE FRONTS.																			
	14 ft.	16 ft.	18 ft.	20 ft.	22 ft.	24 ft.	26 ft.	28 ft.	30 ft.	32 ft.	34 ft.	36 ft.	40 ft.	44 ft.	48 ft.	52 ft.	56 ft.	60 ft.	64 ft.	68 ft.	72 ft.
5 ft. x 5 ft.	$27 15	$31 05	$33 35	$34 95	$36 60	$39 20	$40 80	$43 70	$45 30	$49 95	$51 75	$53 55	$61 15	$64 10	$68 25	$72 20	$79 45	$86 35	$91 50	$99 00	$102 00
6 ft. x 6 ft.	29 00	33 00	36 10	37 70	39 35	42 45	44 05	46 80	48 15	52 20	54 70	57 20	64 65	67 60	72 60	77 00	86 50	94 25	99 25	107 00	110 75
7 ft. x 7 ft.	30 85	35 65	38 85	40 75	42 35	45 65	47 55	50 55	52 45	57 10	59 55	61 95	70 25	74 65	79 50	84 40	92 65	99 80	110 30	119 50	123 00
8 ft. x 8 ft.	33 30	37 50	41 85	43 80	45 70	49 15	51 05	54 55	56 45	61 95	64 65	67 35	76 35	80 20	85 60	90 95	100 00	107 15	117 75	127 10	130 85
9 ft. x 9 ft.	35 30	39 80	44 90	46 80	48 70	52 35	54 55	58 55	60 45	66 30	69 20	72 15	81 65	85 80	91 65	97 20	105 00	113 90	125 45	134 50	139 10
10 ft. x 10 ft.	37 30	42 75	47 95	49 85	52 05	56 20	58 40	62 55	64 75	70 55	73 75	76 90	86 95	91 35	97 45	105 70	113 75	121 85	134 40	144 35	148 80

This Price List answers for all ordinary Store Fronts. On all latest improved, new style, wide vestibule, and out of the ordinary style Fronts, we prefer to give ***special prices.*** **WRITE FOR DISCOUNTS.**

Directions for Putting up Cog Gear Roller Awning



DETERMINE the place where awning is to fasten to building at the extreme right and left ends at top. On the end of which operating box is to be placed fasten the cog gear for top. On opposite end place the end bracket. The bearings of these two parts must be on a perfect level. After these parts are securely fastened, draw a line from center to center of journal boxes across building; ascertain how many center supports are needed, divide the extreme width into as many equal parts as there are center supports. The center support consists of top and bottom part, the one with four rollers being bottom part, the one with one wide roller the top part. Place the bottom part in position, allowing space for roller between bottom and top part, which should be from six to eight inches in center according to size of awning, as a large awning takes up more room on roller than a small one. After bottom part is securely fastened, place the long roller in position and fasten securely at each end. Then tack awning to roller, fastening each end first and dividing the slack canvas equally across front. Place top part of center support in position and the top part of awning is complete. The lower fastenings are the same as any ordinary awning. The operating box is generally fastened about three feet from the ground in a line with the top gear. We, however, send with each awning a universal coupling, so it makes no material difference if these two parts are a little out of line. Do not place operating box in position until you have fitted the connecting rods in place, when you can put it exactly where it belongs. After frame is in position, tie the awning to it through eyelets in awning and it is complete.

Where ends are sewed to the body of the awning (as in Fig. 1, which shows ends folded under) we furnish everything necessary for fastening. Where ends are separate (as in Fig. 2) the upper part of end is securely fastened directly under the roller and to the extension rod of frame. We sew rings on inside edge of end curtain and by placing a pulley at the upper inside corner and running a cord through the rings the ends can be folded up very neatly by simply pulling the rope tight.



Above cut shows the "ANCHOR ROLLER CURTAIN" as used for inside store shades.



Above cut shows our "ANCHOR ROLLER CURTAIN" as used on Residences, Hotels, Etc. They are made in plain and fancy stripes, and can be lowered any desired distance, thereby keeping out the sun at all times, and having a neat appearance.





Showing Bracket Fastened to Ceiling.



Showing Bracket Fastened to Front.

DIRECTIONS FOR MEASURING.

Give full width of space where CURTAIN is to go. The pole and fixtures will be 4 inches wider than curtain, as the fixtures take up 4 inches.

Give distance from top to where bottom of scallop is to be when down.

The goods will be made one foot longer, which is to be left on roller when curtain is lowered.

DIRECTIONS FOR PUTTING UP.

Fasten brackets as per above cuts, next wind half the rope in grove of fixture at end of roller, then run rope through screw eye which is placed at point 1, after which bring down as shown at figure 4 and fasten to cleat which should be placed within easy reach.

To raise curtain pull rope until desired height is obtained.

To lower curtain loosen rope and and let it drop to point wanted.

Cantwear Roller Awning

Patented Nov. 10, 1903

THE LATEST IMPROVED AWNING

Operated by Ropes and Pulleys
It Stands in a Class by Itself
The Only One of Its Kind

Far Superior to all Others

Directions for Measuring:

Take measure same as for ordinary store awning, page 4. ***The cloth part on a Cantwear Awning is six inches narrower than the frame.***

Send for Samples of Material and Measuring Blanks. Write for Prices



AWNING DOWN.

Cantwear Roller Awning

Patented Nov. 10, 1903.

AWNING ROLLED UP.

Ropes Cantwear or *cut awning*, as they do not touch it at any point. If pulleys, rope and leader are *on top* or above awning, the *strain* is on the *goods* and *rope*, and awning will tear out where leaders are sewed on. If pulleys and rope are *underneath* awning, the goods will *catch in pulleys and tear*, or wear against the rope.

Curtains and ends of awnings cannot be whipped and torn by the wind, or fade and get soiled by exposure, as they are all rolled up in the awning, They can be made with or without ends as preferred. It does not interfere with the light when rolled up. It can be set at any angle desired.

Cantwear Awning rolls up in the smallest possible space. They will outlast any two ordinary awnings, as there is nothing about them to wear or get out of order. By placing an 8 inch board above awning it can be kept up all winter. We furnish roof brackets if desired.

Frames are made in the most substantial manner, and when put on the front will outlast the building. Frames can be recovered at any time.

Cantwear Awnings can be made up to 20 feet wide. If wider than 20 feet is wanted use the celebrated "Anchor Cog Gear Roller Awning," the best gear awning made.

Send for Samples of Material and Measuring Blanks. Write for Prices

Wall Tent

Price List of Wall Tents

Size	Height of Wall	8 oz Duck	10 oz. Duck	12 oz. Duck	10 oz. Duck Double Filling or 8 oz. Army Duck	12 oz. Duck Double Filling or 10 oz Army Duck	12 oz. Army Duck or No. 10
7 x 7	3	$ 8 00	$ 9 35	$ 11 20	$ 10 35	$ 12 25	$ 14 55
7 x 9	3	9 50	11 05	13 25	12 30	14 60	17 40
9 x 9	3	10 95	12 80	15 35	14 30	17 00	20 30
9½ x 12	3	12 90	15 05	18 00	16 80	19 95	23 80
9½ x 14	3	14 65	17 10	20 50	19 10	22 65	27 05
12 x 12	3½	15 30	17 95	21 55	20 00	23 75	28 40
12 x 14	3½	17 30	20 20	24 25	22 55	26 80	32 05
12 x 16	3½	19 20	22 45	26 95	25 05	29 80	35 65
12 x 18	3½	21 35	24 95	29 95	27 80	33 00	39 45
14 x 14	4	20 60	24 15	29 00	26 95	32 10	38 45
14 x 16	4	22 70	26 65	32 00	29 80	35 50	42 55
14 x 18	4	25 35	29 75	35 70	33 20	39 45	47 30
14 x 20	4	28 20	32 75	39 30	36 40	43 00	51 15
14 x 24	4	31 80	36 90	44 30	41 00	48 10	57 25
16 x 16	5	28 20	33 20	39 85	37 15	44 10	53 05
16 x 18	5	30 95	36 40	43 70	40 75	48 25	58 00
16 x 20	5	34 10	39 80	47 75	44 30	52 15	62 30
16 x 24	5	38 85	45 20	54 25	50 25	59 05	70 40
16 x 30	5	47 00	54 75	65 70	60 85	71 50	85 30
16 x 35	5	52 60	61 30	73 55	68 10	80 20	95 60
18 x 18	5	35 40	41 60	49 90	46 45	55 20	66 20
18 x 20	5	39 00	45 45	54 55	50 50	59 70	71 10
18 x 24	5	43 60	50 85	61 00	56 50	66 50	79 25
18 x 30	5	52 25	60 90	73 10	67 75	79 95	95 55
18 x 35	5	58 15	67 80	81 35	75 40	89 05	106 25
18 x 40	5	68 40	78 55	94 25	88 65	105 15	125 40
20 x 24	5	45 85	52 65	63 20	59 45	70 50	84 05
20 x 30	5	55 40	63 65	76 45	71 85	85 20	101 60
20 x 35	5	61 80	70 95	85 15	80 10	94 95	113 30
20 x 40	5	71 75	82 35	98 80	93 00	110 25	131 50
24 x 30	6	67 50	77 45	92 95	87 45	103 70	123 65

Add 5 per cent. for each additional six inches of wall.

Flies, complete, but without poles, half the price of tents of corresponding size.

WRITE FOR DISCOUNTS.

WALL TENT AND FLY.



Above cut shows the Fly used over tent during rainy weather, which makes the tent perfectly dry during the hardest rain. The Fly also acts as an air chamber and makes the tent much cooler in warm weather.



Above cut shows the Fly extended and used for dining room, or shade during fair weather. Just the thing for camping or fishing parties.

"A" or Wedge Tent.



COMPLETE WITH POLES, STAKES, ETC.

Size	Height	8 oz. Duck	10 oz. Duck	12 oz. Duck.
5 x 7	6	$ 5 00	$5 80	$ 7 55
7 x 7	7	6 30	7 35	9 70
7 x 9	7	7 55	8 85	11 70
9 x 9	7	8 35	9 85	13 05
9½x 12	7½	10 30	12 10	16 10
12 x 14	9	14 80	17 45	23 30

Photographer's Tents



Price List Photographer's Tents

Size	Height of Wall	Height of Center	8 oz. Duck	10 oz. Duck	12 oz. Duck, 10 oz. Double Filling or 8 oz. Army Duck	12 oz. Double Filling or 10 oz. Army Duck
12x14	6	11	$26 50	$31 00	$36 50	$41 50
12x16	6	11	29 50	33 00	39 50	45 00
12x18	6	11	32 00	37 50	45 00	51 00
12x21	6	11	36 00	41 50	49 00	56 00
12x24	6	11	40 00	46 00	54 00	62 00
12x28	6	11	46 00	53 00	63 00	71 00
12x30	6	11	49 50	57 00	67 00	76 00
14x16	6	12	33 00	39 00	47 00	53 00
14x18	6	12	35 50	41 50	49 50	56 50
14x21	6	12	40 00	46 00	55 50	62 00
14x24	6	12	43 50	50 50	60 00	68 00
14x28	6	12	49 50	57 00	68 00	78 00
14x30	6	12	53 50	62 00	73 50	83 00
16x18	6	13	39 00	45 50	54 50	62 00
16x21	6	13	44 00	51 50	61 00	69 50
16x24	6	13	48 00	56 00	66 50	75 50
16x28	6	13	54 50	63 50	75 50	85 50
16x30	6	13	58 50	68 00	81 00	91 50

Special attention is paid to the requirements of the profession in the manufacture of our Photo Tents. During an experience of many years, the suggestions for improvements from parties using the tents have been noted, and put into execution wherever practicable. We are, therefore, in a position to guarantee the utmost satisfaction. Our Brown Duck Tents are the height of perfection. Doors and skylights put wherever wanted in our Tents.

SEND FOR SAMPLES AND PRICES.

Refreshment Tent



Price List of Refreshment Tents

Size	WITH WALL. Height of Wall	Height of Center	8 oz. White Duck	10 oz. White Duck	Brown or Blue and White Striped Duck	WITHOUT WALL. 8 oz. White Duck	10 oz. White Duck	Brown or Blue and White Striped Duck
8x10	6	9	$21 25	$23 75	$25 35	$11 50	$14 00	$15 60
8x12	6	9	23 80	26 00	28 20	13 00	15 20	17 40
8x14	6	9	27 10	29 50	31 90	14 40	16 80	19 20
9x12	6	10	26 20	28 50	31 90	13 90	16 20	19 60
9x14	6	10	28 80	31 30	33 90	15 50	18 00	20 60
9x16	6	10	31 25	34 00	37 35	17 75	20 50	23 85
9x19	6	10	34 60	36 35	41 65	19 85	21 50	26 90
10x12	6	10	26 75	29 15	31 70	15 00	17 40	19 90
10x14	6	10	29 50	32 30	35 00	16 70	19 50	22 50
10x16	6	10	31 80	34 80	37 80	18 00	21 00	24 00
10x18	6	10	33 70	37 20	40 00	18 90	22 40	25 20
10x20	6	10	35 70	39 10	42 70	20 70	24 10	27 70
12x14	6	11	32 05	35 50	38 10	18 30	21 70	24 30
12x16	6	11	34 95	38 30	41 40	19 20	22 50	25 60
12x18	6	11	36 80	40 40	43 90	21 00	24 60	28 10
12x21	6	11	41 25	45 15	51 10	23 95	27 00	33 85
12x24	6	11	45 40	50 00	56 00	26 60	31 25	37 20
14x16	6	12	37 85	41 50	45 00	22 00	25 70	29 20
14x18	6	12	41 70	46 30	50 45	24 90	29 55	33 70
14x22	6	12	45 85	49 75	58 85	27 30	31 25	40 35
14x24	6	12	52 75	56 00	65 80	32 50	36 80	46 55
14x27	6	12	58 45	63 50	74 00	36 70	42 25	52 70
14x30	6	12	62 50	69 00	80 00	39 70	46 25	57 50
14x33	6	12	67 00	74 50	85 90	42 75	50 25	61 65
16x20	6	13	46 25	52 20	60 75	27 75	33 70	42 25
16x24	6	13	54 00	61 40	71 15	33 25	40 50	50 40
16x28	6	13	61 55	70 10	81 40	38 80	47 35	58 55
16x32	6	13	69 05	78 45	91 45	44 30	54 20	66 70
18x36	6	14	84 35	96 65	111 40	56 60	68 90	83 65
18x40	6	14	92 80	106 50	122 20	63 00	76 75	92 45
20x40	6	14	99 00	114 00	128 80	68 35	83 20	98 00

Used as a refreshment stand at fairs, circuses, side shows, etc. This style, 9x16, is the best street fair tent.

Add 5 per cent to the above list price for each additional foot or fraction thereof in height of wall. Complete with poles stakes and ropes ready to put up. All sizes roped where necessary.

WRITE FOR DISCOUNTS.

Lawn Tent

Size of Base	Size of Top	Height of Center	Height of Side	8 oz Duck	10 oz. Duck	Blue and White or Brown and White Stripe
7x 7	2 ft. 4 in.	7½	6	$8 75	$ 9 75	$11 00
8x 8	2 ft. 4 in.	8	6½	10 00	11 25	12 75
9x 9	3 ft. 6 in.	8½	7	12 75	14 25	16 00
10x10	3 ft. 6 in.	9	7½	14 25	16 00	18 00

WRITE FOR DISCOUNTS

Lawn Tent

Awning Extension

Size of Base	Size at Top	Height of Center	Height of Side	8 oz. Duck	10 oz. Duck	Blue and White or Brown and White Stripe
7x 7	3 ft. 6 in.	8	6½	$12 50	$13 75	$15 25
8x 8	3 ft. 6 in.	8	6½	13 75	15 00	16 75
9x 9	4 ft. 8 in.	9	7	16 25	18 00	20 25
10x10	4 ft. 8 in.	10	8	18 50	20 75	23 25
12x12	5 ft. 6 in.	10	8	21 00	23 50	26 50

WRITE FOR DISCOUNTS

Square Garden Tent

Price List of Square Garden Tents

Size	Height of Wall	Height of Centre	8 oz Duck	10 oz Duck	10 oz. Double Filling or 8 oz. Army Duck	12 oz. Double Filling or 10 oz Army Duck	12 oz. Army or No. 10 Duck
6 x6	5	7	$ 9 00	$10 50	$12 00	$14 00	$ 15 50
7 x7	6	8	13 50	15 50	18 00	20 50	23 50
9½x9½	6	9	18 50	22 00	25 50	29 00	33 00
12 x12	6	10	27 50	32 00	36 50	41 50	46 50
14 x14	6	11	36 00	42 00	47 50	54 50	61 50
16½x16½	6	12	45 00	55 00	59 50	68 00	76 00
19 x19	6	13	53 50	62 00	70 50	80 50	90 00
21 x21	6	13	76 00	86 50	97 50	100 00	121 00
23½x23½	6	14	86 50	101 50	113 50	128 00	142 00
26 x26	6	15	103 00	117 00	131 00	147 50	164 00
28 x28	6	15	115 00	130 50	146 00	164 50	182 50
30 x30	6	16	129 00	146 50	164 00	184 50	205 00
33 x33	6	17	146 00	166 00	186 00	209 00	232 50

Especially adapted for the lawn, the height of wall making entire space available. Awning in front making it cool and airy, but can make with regular door, if preferred. All our square hipped roof tents are roped and stayed in the best manner. Many tent manufacturers do not rope tents of this kind at all, making them almost worthless, as they will not set up in any shape, nor last any length of time.

WRITE FOR DISCOUNTS.

Family Compartment Tent.



Price List of Family Compartment Tents

Size	Height of Center	Height of Wall	8 oz Duck	10 oz. Duck	12 oz. Duck 10 oz. Double Filling or 8 oz. Army d'k	12 oz. Double Filling or 10 oz. Army Duck
12x14 feet	11 feet	6 feet	$26 50	$31 00	$36 50	$41 50
12x16 "	11 "	6 "	29 50	33 00	39 50	45 00
12x18 "	11 "	6 "	32 00	37 50	44 50	51 00
12x21 "	11 "	6 "	36 00	41 50	49 00	56 00
12x24 "	11 "	6 "	40 00	46 00	54 00	62 00
12x28 "	11 "	6 "	46 00	53 00	63 00	71 00
12x30 "	11 "	6 "	49 50	57 00	67 00	76 00
14x16 "	12 "	6 "	33 00	39 00	47 00	53 00
14x18 "	12 "	6 "	35 50	41 50	49 50	56 50
14x21 "	12 "	6 "	40 00	46 00	55 50	62 00
14x24 "	12 "	6 "	43 50	50 50	60 00	68 00
14x28 "	12 "	6 "	49 50	57 50	68 00	78 00
14x30 "	12 "	6 "	53 50	62 00	73 50	83 00
16x18 "	13 "	6 "	39 00	45 50	54 50	62 00
16x21 "	13 "	6 "	44 00	51 50	61 00	69 50
16x24 "	13 "	6 "	48 00	56 00	66 50	75 50
16x28 "	13 "	6 "	54 50	63 50	75 50	85 50
16x30 "	13 "	6 "	58 50	68 00	81 00	91 50

The Ideal Camping Tent.

Awnings can be formed by raising end walls. Side walls can be rolled up; can also have partitions to regulate size of rooms. Prices do not include partitions.

WRITE FOR DISCOUNTS.

Oblong Tent, Square Ends

Price List of Oblong Tents, Square Ends

Size	Height of Wall	Height of Center Poles	10-oz. Dbl. Filling or 8-oz. Army Duck	12-oz. Dbl. Filling or 10-oz. Army Duck	12-oz. Army Duck
12 x 19	6	11	$ 52 00	$ 60 00	$ 68 00
12 x 21½	6	11	56 00	65 00	74 00
12 x 23½	6	11	61 50	71 00	80 50
14 x 21½	6	12	62 00	71 50	81 00
14 x 23½	6	12	66 00	76 50	86 50
16½ x 23½	6	13	82 00	93 50	105 00
16½ x 26	6	13	88 00	100 50	112 50
16½ x 28	6	13	94 00	107 50	121 00
19 x 28	6	14	100 50	114 50	128 50
19 x 33	6	14	107 50	122 50	137 50
23½ x 28	7	15	147 50	165 50	184 00
23½ x 33	7	15	163 50	184 00	204 50
23½ x 38	7	15	180 00	202 00	224 50
23½ x 42	7	15	197 00	222 00	246 50
23½ x 47	7	15	220 00	247 50	275 00
23½ x 51	7	15	237 00	266 50	296 00
28 x 38	7	16	206 00	232 00	257 50
28 x 42	7	16	225 50	254 00	282 00
28 x 47	7	16	245 50	276 00	306 50
28 x 51	7	16	265 50	298 50	332 00
28 x 56	7	16	285 00	320 50	356 50
33 x 38	7	18	248 50	279 50	311 00
33 x 42	7	18	268 00	302 00	335 50
33 x 47	7	18	292 50	329 00	365 50
33 x 52	7	18	316 50	356 00	395 50
33 x 56	7	18	342 00	385 00	427 50
33 x 60	7	18	365 00	411 00	456 50
37 x 47	7	19	308 50	347 00	385 50
37 x 52	7	19	332 50	374 00	416 00
37 x 56	7	19	356 50	401 50	446 00
37 x 60	7	19	385 50	433 50	481 50
37 x 65	7	19	405 50	456 00	507 00
42 x 51	7	20	371 50	417 50	464 00
42 x 56	7	20	397 00	446 50	496 50
42 x 60	7	20	425 00	478 00	531 50
42 x 65	7	20	447 50	503 50	559 50
42 x 70	7	20	479 00	538 50	598 50
42 x 80	7	20	532 50	599 00	665 50

WRITE FOR DISCOUNTS.

Round Tent.



Price List of Round Tents.

Size	Height of Wall	Height of Center	6½-oz. Drill	8-oz. Duck	10-oz. Duck or 8-oz. Army Duck	10-oz. Army Top, 8-oz. Double Filling Wall	12-oz. Army Top, 8-oz. Double Filling Wall
13	6	9	$31 50	$36 50	$41 00	$41 50	$44 00
17½	6	11	46 00	53 00	60 00	61 00	65 00
22	6	12	62 00	72 00	81 50	84 00	90 00
26	6	13	81 50	93 50	105 50	109 50	118 00
31	6	14	102 50	117 50	133 00	138 50	150 00
35	6	16	126 50	144 50	163 00	171 00	185 00
40	6	17	151 00	173 00	195 00	206 00	223 50
44	6	18	178 50	205 00	231 00	244 50	266 00
48	6	19	208 50	239 00	269 50	286 50	311 50
52½	6	21	240 50	275 50	310 50	331 00	360 50

For Gospel Tents, Side Shows, Merry-go-Rounds, Ocean Wave Swings, etc. Made with or without walls.

Add 5 per cent. for each additional foot or fraction thereof in extra height of wall. All sizes to be fully roped and stayed in best manner where strength is required.

WRITE FOR DISCOUNTS.

OBLONG TENT

ROUND ENDS.

PRICE LIST OF OBLONG TENTS, ROUND ENDS.

Size	Height of Wall	Height of Center	6½-oz. Drill	8-oz. Duck	10-oz Double Filling or 8-oz. Army Duck	10-oz. Army Duck Top 8-oz. Wall	12-oz. Army Duck Top 8-oz. Wall
13x21	6 feet	10 feet	$ 45 00	$ 52 00	$ 59 00	$ 60 00	$ 64 00
13x27	6 "	10 "	59 00	67 50	76 50	78 50	84 00
17x24	6 "	12 "	62 00	71 00	80 50	82 50	89 00
17x31	6 "	12 "	77 50	89 50	101 00	104 00	112 00
22x29	6 "	14 "	81 00	93 00	105 00	108 50	117 00
22x36	6 "	14 "	99 00	113 50	128 50	133 50	144 00
26x33	7 "	15 "	101 50	116 50	132 00	137 50	148 50
26x40	7 "	15 "	122 00	140 00	158 00	165 50	179 00
26x47	7 "	15 "	142 00	163 00	184 00	193 00	209 50
31x38	7 "	16 "	125 00	143 50	162 00	170 00	284 00
31x45	7 "	16 "	147 50	169 00	191 00	200 50	217 50
31x52	7 "	16 "	170 00	195 00	220 00	231 50	251 50
35x49	7 "	18 "	175 00	200 50	226 50	239 50	260 00
35x56	7 "	18 "	200 00	229 00	258 00	273 50	297 50
35x63	7 "	18 "	224 50	257 00	290 00	307 50	335 00
40x54	7 "	20 "	204 50	234 50	264 50	280 50	305 50
40x61	7 "	20 "	231 50	265 50	299 00	318 00	346 50
40x68	7 "	20 "	258 50	296 00	333 50	355 50	387 00
44x58	7 "	22 "	237 00	271 50	305 50	340 00	369 50
44x65	7 "	22 "	266 00	304 50	343 00	366 00	399 00
44x72	7 "	22 "	295 00	337 50	380 50	406 50	443 50
48x62	7 "	23 "	271 00	310 50	350 00	373 50	407 50
48x69	7 "	23 "	302 50	346 00	390 00	417 00	455 00
48x76	7 "	23 "	333 50	382 00	430 00	461 00	503 50
52x66	7 "	24 "	307 50	352 00	396 00	424 50	463 50
52x73	7 "	24 "	341 00	390 00	439 00	471 00	515 00
52x80	7 "	24 "	394 50	448 50	502 00	518 00	566 00

Above prices include everything ready for putting up. Any sizes not included in above list, prices sent on application. If higher walls are wanted than specified in list, add 5 per cent. for each additional foot or fraction thereof. All sizes fully roped.

WRITE FOR DISCOUNTS.

AMAZON TENT.

PRICE LIST OF AMAZON TENTS.

Size	Height of Wall	Height of Center Pole	8-oz. Single Filling Duck	10-oz. Single Filling Duck	10-oz. Double Filling or 8-oz. Army Duck	12-oz. Double Filling or 10-oz. Army Duck
7 x 7	3	7	$13 50	$15 50	$17 75	$20 25
7 x 9	3	7	16 25	19 00	21 50	24 50
7 x 12	3	7	20 25	23 50	26 50	30 25
9 x 9	3	8	20 75	24 25	27 25	31 00
9 x 12	3	8	24 25	28 25	32 00	36 50
9 x 14	3	8	28 00	32 75	37 00	42 25
9 x 16½ ...	3	8	31 75	37 00	42 00	48 00

This is a very convenient Tent. The awning makes a comfortable place for sitting or eating under and adds to the size and usefulness of the Tent.

WRITE FOR DISCOUNTS

SQUARE HIP ROOF TENT.

PRICE LIST OF SQUARE HIP-ROOF TENTS.

Size	Wall	Pole	10-oz. Double Filling or 8-oz. Army	12-oz. Double Filling or 10-oz. Army	12-oz. Army or No. 10 Duck	15-oz. Army or No. 8 Duck
9½ ft. sq.	6 foot	9 foot	$ 25 50	$ 29 00	$ 33 00	$ 42 00
12 "	6 "	10 "	36 50	41 50	46 50	58 50
14 "	6 "	11 "	47 50	54 50	61 00	76 00
16 "	6 "	12 "	59 50	68 00	76 00	95 00
19 "	6 "	13 "	70 50	80 50	90 00	113 00
21 "	6 "	13 "	97 00	109 00	121 00	149 00
23½ "	6 "	14 "	113 50	128 00	142 00	174 50
26 "	6 "	15 "	131 00	147 50	164 00	201 00
28 "	6 "	15 "	146 00	164 50	182 50	224 50
30 "	6 "	16 "	164 00	184 50	205 00	252 00
33 "	6 "	17 "	186 00	207 00	232 50	285 50

The large sizes in this list are designed for Stables.

WRITE FOR DISCOUNTS

STABLE TENT

WITH WALL.

Tent with wall complete. These tents are much cheaper than building sheds and can be moved anywhere.

Price List of Stable Tents with Walls.

Size	Height Wall	Height Center	10-oz. Double Filling or 8-oz. Army Duck	12-oz. Double Filling or 10-oz. Army Duck	12-oz Army Duck
26x28	5	12½	$135 50	$152 50	$169 50
26x37	5	12½	168 00	189 00	210 00
26x47	5	12½	200 50	225 50	250 50
26x56	5	12½	232 50	261 50	290 50
26x65	5	12½	264 50	297 50	330 50
26x75	5	12½	297 00	334 00	371 00
26x84	5	12½	329 50	370 50	411 50
28x28	5	13	145 00	163 25	181 25
28x37	5	13	179 25	201 50	224 00
28x47	5	13	213 50	240 00	266 75
28x56	5	13	247 50	278 50	309 50
28x65	5	13	281 75	317 00	352 00
28x75	5	13	315 00	354 50	394 00
28x84	5	13	353 00	397 00	441 00
28x94	5	13	391 50	440 50	489 50
30x28	5	14	161 50	181 50	201 50
30x37	5	14	193 00	217 50	241 50
30x47	5	14	229 00	257 50	286 50
30x56	5	14	265 50	298 50	332 00
30x65	5	14	301 50	339 00	376 50
30x75	5	14	337 50	380 00	422 00
30x84	5	14	373 00	419 50	466 00
30x94	5	14	418 00	470 00	522 00

WRITE FOR DISCOUNTS.

STABLE TENT

WITHOUT WALLS.



Showing Stable Tent, top only. The price is soon saved by the protection afforded to your stock.

Price List of Stable Tents without Walls

Size	Height Wall	Height Center	10-oz. Double Filling or 8-oz. Army Duck.	12-oz. Double Filling or 10-oz Army Duck	12-oz. Army Duck
26x28	5	12½	$ 88 50	$ 99 50	$110 50
26x37	5	12½	113 00	127 50	141 50
26x47	5	12½	138 00	155 00	172 00
26x56	5	12½	162 50	182 50	203 00
26x65	5	12½	186 50	210 00	233 00
26x75	5	12½	211 00	237 50	264 00
26x84	5	12½	236 00	265 00	294 50
28x28	5	13	97 00	109 00	121 00
28x37	5	13	123 00	138 50	154 00
28x47	5	13	148 00	169 00	187 50
28x56	5	13	176 50	198 50	220 50
28x65	5	13	202 50	228 00	253 50
28x75	5	13	229 00	257 50	286 50
28x84	5	13	255 50	287 50	319 00
28x94	5	13	288 00	324 00	360 00
30x28	5	14	106 50	119 50	133 00
30x37	5	14	135 00	152 00	168 50
30x47	5	14	163 00	183 50	203 50
30x56	5	14	191 50	215 50	289 50
30x65	5	14	219 50	247 00	274 50
30x75	5	14	248 00	279 00	310 00
30x84	5	14	276 00	310 50	345 00
30x94	5	14	311 50	350 50	389 00

WRITE FOR DISCOUNTS.

SHADE OR HAMMOCK TENT



These are intended for Lawns, and are made with scalloped curtains or border, and furnished with poles, guys and stakes complete.

Length and Breadth	8 oz. Duck	Stripe	Length and Breadth	8 oz. Duck.	Stripe
10 x 10	$11 00	$12 00	15 x 15	$18 00	$20 00
10 x 12	12 00	13 00	15 x 22	22 00	24 00
10 x 15	13 25	14 25	15 x 25	24 75	26 00
12 x 15	15 00	16 75			

SIDEWALK CANOPIES



FOR RENT.

With Matting and Lights, also Dancing Cloths and Chairs for use at Weddings, Balls and Parties.

CEMETERY TENT.



This Tent will Protect from Sun, Rain and Snow.

MADE OUT OF BROWN DUCK ONLY.

This cut represents our CEMETERY TENT hundreds of which are in use in all sections of the country.

All live and up-to-date undertakers have one or more of these tents on hand, as they bring business.

They are made of dark brown duck, and therefore are not conspicuous when put in the cemetery.

They protect your patrons from the HOT SUN in the summer, as well as the SNOW, RAIN and SLEET in the winter.

Tents are made strong and durable, no extra weight, everything being as light as possible, no extra weight, everything being as light as possible. Quality of goods THE BEST.

The long poles can be spliced or jointed, (if preferred) at a small additional cost.

Samples of material on application.

Size	Height in Center	Height at Sides	Price
12x12	12 ft	7 ft	$11 00
14x14	13 ft	7 ft	14 50
16x16	14 ft	7 ft	19 00
18x18	15 ft	7 ft	24 00
20x20	16 ft	7 ft	30 00
24x24	18 ft	7 ft	42 00
30x30	18 ft	7 ft	58 00

Walls can be furnished for one or more sides if wanted

at 15 cents per running foot extra.

Plain White Canvas Covers.



Used for covering Harvesters, Binders, Threshing Machines, Stacks and all kinds of Merchandise. All sizes and weights of Duck carried in stock.

Price List Plain White Canvas Covers or Paulins.

Size	8-oz Duck	10-oz. Duck	12-oz. Duck	12-oz. Duck Db'l Fil'g	14-oz. Duck or No 10	16-oz. Duck or No. 8	18-oz. Duck or No. 6	20-oz. Duck or No. 4
7X12	$ 2 25	$ 2 80	$ 3 80	$ 4 15	$ 6 45	$ 7 15	$ 8 15	$ 8 70
7X15	2 90	3 65	4 65	5 15	8 05	8 95	10 15	10 85
10x16	3 90	4 80	7 00	7 45	12 30	13 60	15 50	16 55
10x17	4 15	5 10	7 50	7 90	13 05	14 45	16 45	17 30
10x18	4 40	5 40	8 00	8 40	13 80	15 30	17 40	18 60
12x14	4 25	5 25	7 50	8 10	12 90	14 30	16 25	17 35
12x16	5 00	6 00	8 90	9 30	14 75	16 35	18 55	19 85
12x18	5 50	6 75	10 00	10 45	16 55	18 35	20 90	22 80
12x20	6 15	7 50	11 00	11 65	18 40	20 40	23 20	24 80
14x16	6 50	7 95	10 75	11 20	17 20	19 05	21 65	23 15
14x18	7 30	8 95	12 00	12 65	19 35	21 40	24 35	26 35
14x20	8 15	9 95	13 40	14 00	21 50	23 80	27 10	28 35
14x22	8 95	10 95	14 75	15 40	23 60	26 20	29 80	31 80
14x24	9 75	11 95	16 20	16 80	25 75	28 55	32 50	34 75
16x16	7 45	9 10	12 25	12 80	19 65	21 75	24 75	26 45
16x18	8 35	10 25	13 80	14 40	22 10	24 50	27 80	29 75
16x20	9 30	11 35	15 40	16 00	24 55	27 20	30 95	33 10
16x22	10 20	12 50	15 85	17 60	27 00	29 95	34 00	36 40
16x24	11 15	13 65	18 40	19 20	29 45	32 65	37 15	39 70
16x26	11 95	14 80	20 00	20 80	31 90	35 25	40 20	43 00
16x28	13 00	15 90	21 40	22 40	34 35	38 10	43 30	46 30
16x30	13 95	17 05	23 00	24 00	36 80	40 80	46 40	49 60
18x20	10 45	12 80	17 25	18 00	27 60	30 60	34 80	37 20
18x22	11 50	14 05	19 00	19 80	30 35	33 65	38 30	40 90
18x24	12 55	15 35	20 65	21 60	33 10	36 75	41 75	44 65
18x26	13 60	16 60	22 40	23 40	35 90	39 80	45 25	48 35
18x28	14 65	17 90	24 10	25 20	38 65	42 85	48 75	52 10
18x30	15 65	19 20	25 80	27 00	41 40	45 90	52 20	55 80
18x32	16 70	20 45	27 50	28 80	44 15	48 95	55 70	59 50
18x36	18 80	23 00	31 00	32 40	49 70	55 10	62 65	66 95
18x40	20 90	25 60	34 40	36 00	55 20	61 20	69 60	74 40
20x24	13 95	17 05	23 00	24 00	36 80	40 80	46 40	49 60
20x30	17 40	21 30	28 75	30 00	46 00	51 00	58 00	62 00
20x36	20 90	25 55	34 40	36 00	55 20	61 20	69 60	74 40
20x40	23 20	28 40	38 20	40 00	61 35	68 00	77 35	82 65
24x30	20 90	25 55	34 50	36 00	55 20	61 20	69 60	74 40
24x36	25 10	30 70	41 50	43 20	66 25	73 45	82 50	89 30
24x40	27 85	34 10	46 00	48 00	73 60	81 60	92 80	99 20
24x50	34 80	42 60	57 50	60 00	92 00	102 00	116 00	124 00

Sizes not mentioned above, figured in same proportion.

WRITE FOR DISCOUNTS.

Wagon Covers.



Machine Sewed.
Full Weight Goods.

Price List of Wagon Covers.

Size	8 oz.	10 oz.	12 oz.
10x10	$2 45	$3 06	$ 4 60
10x12	2 90	3 66	5 55
10x13	3 15	3 96	6 00
10x14	3 40	4 30	6 50
10x15	3 65	4 60	6 96
10x16	3 90	4 90	7 45
10x17	4 15	5 18	7 90
10x18	4 40	5 48	8 40
10x20	4 95	6 10	8 85
11x13	3 55	4 45	6 80
11x14	3 85	4 82	7 30
11x15	4 10	5 16	7 84
11x16	4 40	5 55	8 40
11x17	4 70	5 88	8 90
11x18	4 95	6 22	9 45
11x20	5 55	6 94	10 50
12x14	4 25	5 35	8 10
12x15	4 60	5 75	8 70
12x16	5 00	6 10	9 30
12x17	5 20	6 50	9 86
12x18	5 55	6 90	10 44
12x20	6 15	7 65	11 60
12x22	6 80	8 45	12 80

To be used over bows. They have draw strings in each end, and tie ropes on sides. All sizes in stock.

WRITE FOR DISCOUNTS.



The "Anchor" Canvas Hammock

WITH DETACHABLE FASTENINGS:

There has always been a demand for a cheap, durable bed for use in Jails, Infirmaries, Prisons, Asylums, etc. Several years ago we began to manufacture our Canvas Hammock, with straps and fastenings detachable. We found that our Hammock was just what was wanted, for they are now in use in every part of the United States, and parties using them once will have no other kind. We make the best Canvas Hammock in the world, and can furnish testimonials to that effect from any state in the Union.

All Modern Jails, Infirmaries, Prisons, Asylums

Are, or should be, equipped with the "Anchor Canvas Hammock." They are made out of 20 ounce, heavy white cotton duck, well made, and stayed in center and on ends where strength is necessary, with rope sewed all around the edge. The ends are doubled over six (6) inches, with extra heavy piece of goods underneath, making three (3) parts of canvas at each end where straps are attached to hammock, and through the center of the hammock lengthways there is an extra strip of heavy canvas four (4) inches wide, sewed on with double row of stitching, so that hammock CAN NOT give in the middle. The eyelets, through which bolts pass in attaching straps to hammock are iron rings, sewed in by hand with heavy twine, and then a brass center inserted, so there is absolutely no chance for wear nor danger of eyelets tearing out. Straps are out of best selected leather fifteen (15) inches long, and fastened to hammock with nut and bolt attachment, so that they can be taken off very quickly by anyone when hammock is to be washed, thereby saving the expense of having them sewed on after washing, or if left on hammock, be ruined by boiling in hot water. Any person with a small wrench can take the straps off and put them on again in a few minutes.



Showing same in position for use, also rolled up during the day.

Takes up no surplus room.
Your bed is always made up.

When the Hammock is Rolled Up

During the day the entire cell is at the disposal of the occupant. The old style bedstead is always in position, or folded against the wall in an unsightly and unhealthy manner, and taking up room which can otherwise be utilized during the day. This hammock has nothing about it that can be used as a weapon by refractory prisoners in case of an outbreak or insurrection, and as to cleanliness, there is no place for insects to harbor.

No Bugs, No Lice, No Dirt,

will trouble you while you use our hammock, for they can be bept clean. There are thousands now in use in different institutions all over the country, as by their simplicity and lack of trouble to keep clean, they recommend themselves to everyone connected with places which have use for this style of bed.

Price of Anchor Canvas Hammocks

We furnish the Hammocks at $27.00 per dozen, complete with straps, buckles and bolts. Without straps, buckles and bolts, but complete in every other way, $15,00 per dozen. If parties prefer to have straps rivited to hammock, we will furnish them at $25.00 per dozen, but of course straps are not detachable. Prices F. O. B. Evansville, Ind.

TERMS: Cash with the order, or C. O. D. by express or freight, with privilege of examination if desired.

When ordering, please mention length you wish hammock, as we make them from 5 ft. 6 in. to 6 ft. 6 in. long, but all are 2 ft. 4 in. wide. All hammocks over 7 ft. long at a small advance in price.

Sample corner sent on application.

HORSE COVERS.

Plain White Duck.

Hame covers extend on the neck 10 inches in front of collar aud can be used with any style harness. In sending measure send length of back from collar to tail. Our covers are made with Hame Leathers or with canvass Hame Boxes, with air holes. Always mention which style is wanted.

	EACH
14 oz. or No. 10 Duck, 60 in. wide, hame leathers or box,	$1 75
16 oz. or No. 8 Duck, 60 " " " " "	2 00
18 oz. or No. 6 Duck, 60 " " " " "	2 25
14 oz. or No. 10 Duck, 66 " " " " "	1 90
16 oz. or No. 8 Duck, 66 " " " " "	2 15
18 oz. or No. 6 Duck, 66 " " " " "	2 40
14 oz. or No. 10 Duck, 72 " " " " "	2 00
16 oz. or No. 8 Duck, 72 " " " " "	2 25
18 oz. or No. 6 Duck, 72 " " " " "	2 50

14 oz. Brown Waterproof, new process, 72 in. wide, 3.00

Price List of

HEAVY WAGON AND DRAY COVERS

For Trucks, Drays, Delivery Wagons, Etc.

SIZE	No. 10 Duck	No. 8 Duck	No. 6 Duck	No. 4 Duck
6 x 8	$ 3 80	$ 4 20	$ 4 80	$ 5 10
6 x 9	4 30	4 75	5 40	5 75
6 x 10	4 75	5 25	6 00	6 40
6 x 12	5 55	6 15	6 95	7 55
7 x 9	4 85	5 40	6 10	6 70
7 x 10	5 40	6 00	6 80	7 40
7 x 12	6 45	7 15	8 15	8 70
7 x 14	7 50	8 35	9 50	10 15
7 x 15	8 05	8 95	10 15	10 85
8 x 12	7 35	8 20	9 30	9 70
8 x 14	8 60	9 55	10 80	11 55
8 x 15	9 20	10 30	11 60	12 40
8 x 16	9 60	10 95	12 35	13 25
8 x 18	11 05	12 25	13 95	14 90
9 x 12	8 30	9 20	10 45	11 15
9 x 14	9 70	10 75	12 20	13 00
9 x 15	10 35	11 50	13 05	13 95
9 x 16	11 05	12 25	13 95	14 90
9 x 17	11 75	13 00	14 80	15 80
9 x 18	12 45	13 80	15 70	16 75

Above prices include Snaps, Rings or Eyelets and Ropes, as may be ordered.

SIZES NOT NAMED IN LIST, PRICES IN PROPORTION.

AVERY LIBRARY

KELLER PTG. CO., EVANSVILLE.

RENTAL DEPARTMENT.

We make a specialty of Renting Tents, Cots, Camp Chairs or Stools to parties for Encampments and Reunions, Camp Meetings and Chautauquas. Tents Rented from us are always in first-class order. They are generally nearly new. As we sell the rented tents at ***Greatly Reduced Prices*** as soon as they become soiled, we have no ***rags*** to rent out. Parties renting tents from us are responsible for all damage other than actual wear and tear.

OBLONG TENT, ROUND ENDS.

Size 30 x 60. Height Wall 7 feet. Size 60 x 90. Height Wall 8 feet.

NOTICE.

Do not Pack Tents while Wet or Damp.
Freight or Expressage to be paid both ways by parties renting.

WRITE FOR WHAT YOU WANT.
WE CAN FILL THE LARGEST ORDER PROMPTLY.

WALL TENTS.

Following sizes always on hand
TO RENT
by day or week

10 x 12
12 x 14
14 x 16
16 x 20
16 x 24

OBLONG TENTS, SQUARE ENDS.



Size	Heig't Wall
10x16	7 feet
14x20	7 feet
16x24	7 feet
20x30	7 feet
24x40	7 feet

Anchor Supply Co.
INCORPORATED
Awnings Tents, Covers &c.
EVANSVILLE - IND.